

Crash Test Barrier

IIHS Moving Deformable Barrier

for Side Impact Crashworthiness Evaluation

Description

The Plascore IIHS Moving Deformable Barrier is used for full scale, side impact crash testing in the automotive safety field. The performance is intended to provide a measurement tool with sufficient precision to ensure repetitive and correlative results that reflect the protective performance of a motor vehicle with respect to human occupants.


Construction


- · Main Body Core 1.6-3/8-P-5052
- · Bumper Core 5.2-1/4-P-3003
- Base Plate 0.8mm 5052 H34
- Main Cladding 0.7mm 5052 H34
- Upper Corner 1.6mm 5052 H34
- Bumper Base 3.0mm 5052 H34
- Bumper Cladding 3.0mm 5052 H34

Specifications

Insurance Institute for Highway Safety Moving Deformable Barrier Specification October 2007

NHTSA Lab Test Procedure Dynamic Side Impact Protection TP214D Appendix C





Availability

Plascore Item B105026

Available from distribution locations worldwide.

Includes Certificate of Conformance and Test Data


Paint: Grey or Blue anti-reflective paint standard. Custom paint configurations available.

Packaging: Individual cardboard container 1750mm X 900mm X 520mm Packaged Weight: 36kg




Crush Properties

Main Body Deformable Core



Displacement (mm)

Bumper Deformable Core



Displacement (mm

Plascore, Inc., employs a quality management system that is Nadcap, AS9100, ISO 9001 and ISO 14001 certified.

IMPORTANT NOTICE: The information contained in these materials regarding Plascore's products, processes, or equipment, is intended to be up to date, accurate, and complete. However, Plascore cannot warrant that this is always the case. Accordingly, it is a purchaser's or user's responsibility to perform sufficient testing and evaluation to determine the suitability of Plascore's products for a particular purpose. Information in these materials and product specifications does not constitute an offer to sell. Your submission of an order to Plascore constitutes an offer to purchase which, if accepted by Plascore, shall be subject to Plascore's terms and conditions of sale. PLASCORE MAKES NO WARRANTIES OF ANY KIND REGARDING THESE MATERIALS OR INFORMATION, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Plascore owns and shall retain all worldwide rights in its intellectual property, and any other trademarks used in these materials are the property of their respective owners. The information in these materials shall not be construed as an inducement, permission, or recommendation to infringe any patent or other intellectual property rights of any third parties



Corporate Headquarters

Plascore Incorporated 615 N. Fairview St.

Zeeland, MI 49464-0170

Weh

Phone	(616) 772-1220
Toll Free	(800) 630-9257
Fax	(616) 772-1289
Email	sales@plascore.com

www.plascore.com

Europe

Plascore GmbH&CoKG

Feldborn 6

D-55444 Waldlaubersheim Germany

Phone +49(0) 6707-9143 0 +49(0) 6707-9143 40 Fax sales.europe@plascore.com Email Web www.plascore.de