

Crash Test Barrier

NHTSA 214 Moving Deformable Barrier

for Side and Rear Crashworthiness Evaluation

Description


Used in automotive side and rear crashworthiness testing, the Plascore NHTSA 214 Moving Deformable Barrier is intended to provide a full-scale measurement tool with sufficient precision to ensure repetitive and correlative results that reflect the occupant protection performance of a motor vehicle

Construction

- · Main Body Core 1.6-3/8-P-5052
- · Bumper Core 5.2-1/4-P-3003
- Base Plate 0.8mm 5052 H34
- Main Cladding 0.8mm 5052 H34
- · Bumper Base Plate 3.2mm 2024-T3
- Bumper Cladding 3.2mm 2024-T3


Crush Properties

Main Body Deformable Core




Displacement (mm)

Bumper Deformable Core



Specifications

NHTSA TP214-D NHTSA 49CFR571.214 NHTSA Lab Test Procedure Dynamic Side Impact Protection TP214D Appendix C



Availability

Plascore Item #18723

Available from distribution locations worldwide

Includes Certificate of Conformance and Test Data.

Paint: Grey or Blue anti-reflective paint standard. Custom paint configurations available.

Packaging: Individual cardboard container 1750mm X 675mm X 520mm Packaged Weight: 33kg



Plascore, Inc., employs a quality management system that is Nadcap, AS9100, ISO 9001 and ISO 14001 certified.

IMPORTANT NOTICE: The information contained in these materials regarding Plascore's products, processes, or equipment, is intended to be up to date, accurate, and complete. However, Plascore cannot warrant that this is always the case. Accordingly, it is a purchaser's or user's responsibility to perform sufficient testing and evaluation to determine the suitability of Plascore's products for a particular purpose. Information in these materials and product specifications does not constitute an offer to sell. Your submission of an order to Plascore constitutes an offer to purchase which, if accepted by Plascore, shall be subject to Plascore's terms and conditions of sale. PLASCORE MAKES NO WARRANTIES OF ANY KIND REGARDING THESE MATERIALS OR INFORMATION, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Plascore owns and shall retain all worldwide rights in its intellectual property, and any other trademarks used in these materials are the property of their respective owners. The information in these materials shall not be construed as an inducement, permission, or recommendation to infringe any patent or other intellectual property rights of any third parties



Corporate Headquarters

Plascore Incorporated 615 N. Fairview St.

Zeeland, MI 49464-0170

Web

(616) 772-1220 Phone Toll Free (800) 630-9257 Fax (616) 772-1289 Email sales@plascore.com

www.plascore.com

Europe

Plascore GmbH&CoKG

Feldborn 6

D-55444 Waldlaubersheim Germany

Phone +49(0) 6707-9143 0 +49(0) 6707-9143 40 Fax sales.europe@plascore.de Email Web www.plascore.de